## **AMENDMENTS TO THE CLAIMS**

Please amend claims 1 and 6; please cancel claims 2 and 9-11.

Claim 1 (currently amended): A composition comprising flaky  $\alpha$ -alumina particles having an average major diameter of 0.5 to 25  $\mu$ m, an aspect ratio, expressed by particle major diameter / average thickness, of greater than 50  $\underline{55}$  to 2000, and produced using a source material that will introduce phosphate ions, and a phosphoric compound present in an amount of about 0.2% to about 5.0% by weight, relative to the weight of the alumina particles, when the weight of the phosphoric compound used is converted to the weight of P<sub>2</sub>O<sub>5</sub>.

Claim 2 (cancelled).

Claim 3 (previously amended): The flaky  $\alpha$ -alumina particles according to claim 1, wherein an isoelectric point of the alumina particles at which zeta-potential is 0 is at a pH of 4 to 8.

Claims 4-5 (withdrawn).

Claim 6 (currently amended): A cosmetic [containing] comprising flaky  $\alpha$ -alumina particles having an average major diameter of 0.5 to 25  $\mu$ m and an aspect ratio, expressed by particle major diameter / average thickness, of greater than 50  $\underline{55}$  to

FINNEGAN HENDERSON FARABOW GARRETT & DUNNER LLP

1300 I Street, NW Washington, DC 20005 202.408.4000 Fax 202.408.4400 www.finnegan.com

AMENDMENT Application No. 09/834,651 Attorney Docket No. 05453.0037-00000

2000, and a phosphoric compound present in an amount of about 0.2% to about 5.0% by weight, relative to the weight of the alumina particles, when the weight of the phosphoric compound used is converted to the weight of P<sub>2</sub>O<sub>5</sub>.

Claim 7 (previously amended): The cosmetic according to claim 6, in which the flaky  $\alpha$ -alumina particles have an average thickness of 0.01 to 0.1  $\mu$ m and an average particle diameter, in terms of half the sum of the particle diameter in major axis and particle diameter in minor axis, of 0.5 to 15  $\mu$ m.

Claim 8 (previously amended): The cosmetic according to claim 6, wherein the flaky  $\alpha$ -alumina particles are present in an amount of 1% to 90% by weight, based on the weight of the cosmetic.

Claims 9-11 (cancelled).

Claim 12 (previously added): The cosmetic according to claim 6, wherein an isoelectric point of the alumina particles at which zeta-potential is 0 is at a pH of 4 to 8.

FINNEGAN HENDERSON FARABOW GARRETT & DUNNERLLP

1300 I Street, NW Washington, DC 20005 202.408.4000 Fax 202.408.4400 www.finnegan.com